

PRICE LIST
 Valid from 10 - January 2012
 International Rev. 1.01

- 1 ACCESSORIES
- 2 Analog I/O - S. Eur.
- 3 Analog I/O - BLOCK.
- 4 Analog I/O - M TYPE
- 5 AXIS Controls
- 6 B U S
- 7 B U S - BLOCK
- 8 C P U - Single Eur.
- 9 C P U - BLOCK
- 10 C P U - 3 TYPE
- 11 C P U - 4 TYPE
- 12 C P U - M TYPE
- 13 C P U - Grifo Analog BLOCK TYPE
- 14 C P U - Grifo Mini BLOCK TYPE
- 15 C P U - QG TYPE
- 16 C P U - C A N Grifo Mini Module
- 17 C P U - Grifo Mini Module TYPE
- 18 COMMUNICATIONS
- 19 Digital I/O - S. Eur.
- 20 Digital I/O - BLOCK
- 21 Digital I/O - Expan.
- 22 F B C
- 23 G M T - Grifo ModBUS Telecontrol
- 24 KEYBOARDS
- 25 KITs and Educationals
- 26 MASS MEMORIES
- 27 PC Interfaces
- 28 POWER Suppliers
- 29 Q T P - Pannelli Operatore (Quik Terminal Panel)
- 30 TELECONTROL
- 31 VIDEO Units

NAME	TYPE	23 GMT - Grifo ModBUS Telecontrol	Price EURO
GMT 518		Grifo ModBUS Telecontrol, 8 Opto-In; 4 Relay; Switch.	243,58
GMT H844+518		Grifo ModBUS Telecontrol - Analog; 7 Analog Input, 4 Opto-In; 4 Relay;	359,71
GMT H844+1210		Grifo ModBUS Telecontrol - Analog; 8 Analog Input, 4 Opto-In; 4 Relay;	384,15
GMT GM1		Grifo ModBUS Telecontrol, 8 Opto-In; 4 Relay; Switch.	302,95
GMT ACB		Grifo ModBUS Telecontrol, 16 Opto-In; 8 Relay; Switch.	328,28
GMT HACB		Grifo ModBUS Telecontrol, 24 Opto-In; 16 Relay; Switch.	403,37

GMT HGM1		Grifo ModBUS Telecontrol, 24 Opto-In; 16 Relay; Switch.	436,54
<i>Option</i>	.RS422	OPTION RS 422 SERIAL COMMUNICATION, Add --->	17,12
<i>Option</i>	.RS485	OPTION RS 485 SERIAL COMMUNICATION, Add --->	9,02
<i>Option</i>	.CLOOP	Option CURRENT LOOP Serial Communication, Add --->	33,37

NAME	TYPE	24 KEYBOARDS	Price EURO
------	------	--------------	------------

KDI FF		keyboard Display Interface Fluorescent FUTABA 20x2, 40x2	60,42
KDI F32		keyboard Display Interface Fluorescent FUTABA , 32 keyss	184,86
KDI F33		keyboard Display Interface Fluorescent FUTABA+ 32 Big keyss	192,98
KDI LT		keyboard Display Interface LCD TOSHIBA Graphic and Alphanumeric	66,74
KDI L32		keyboard Display Interface LCD TOSHIBA + 32 keyss keyboard	184,86
KDI L33		keyboard Display Interface LCD TOSHIBA + 32 Big keyss keyboard	192,98
KDx C2		keyboard Display + LCD 2x20 + 24 keys Interf. for GPC 552, ecc.	79,37
KDx C4		keyboard Display + LCD 4x20 + 24 keys Interf. for GPC 552, ecc.	106,42
KDx C4B		keyboard Display + LCD 4x20 BIG + 24 keys Interf. for GPC 552, ecc.	147,89
KDx F2		keyboard Display + Fluorescente 2x20 + keys Interf. 24 for GPC 552, e	150,6
KDx F4		keyboard Display + Fluorescent 4x20 + keys Interf. 24 for GPC 552, ec	252,51
KDx GF2		keyboard Display + Fluorescente 140x16 + keys Interf. 24 for GPC 552	211,92
KDx GF4		keyboard Display + Fluorescent 140x32 + keys Interf. 24 for GPC 552,	256,11
KDx C24		keyboard Display + LCD 2x40 + 24 keys Interf. for GPC 552, ecc.	110,03
KDx F24		keyboard Display + Fluorescent 2x40 + keys Interf. 24 for GPC 552, ec	241,69
KDx 000		keyboard Display + keys Interf. without Display, for GPC 552, ecc.	55,91
KDS 14		keyboard Display Support - keyboard printed circuit with 14 keyss	116,32
KDS L2-C		keyboard Display Support - Equipped with Panel and keyboard	230,86
KDS L2-1		K.D.S.-Equipped with Panel+keyboard+LCD 40x2 Backlite Display	339,09
KDS 40		keyboard Display Support- keyboard Printed Circuit with 40 keyss	228,15
KDS 42		keyboard Display Support - 3HE Panel Section	165,94
KDS 42-C		keyboard Display Support - Equipped with Panel and keyboard	384,17
KDS 42-F1		K. D. S. - Equipped with Panel and keyboard FUTABA 40x1 Display	636,68
KDS 42-F2		K. D. S. - Equipped with Panel and keyboard FUTABA 40x2 Display	695,31

NAME	TYPE	25 KITS and Educationals	Price EURO
------	------	--------------------------	------------

CAN GMT		CAN Grifo MiniModule TEST for CAN GM0, CAN GM1, GMM 5115, etc.	51,4
DEB 01		Didactic Experimental Board. 7 different sections for exp.	208,32
DKD 01		Developing keyboard Display, 64 keyss, 16 Digits, 128 LEDs	208,32
GMM PIC-PR		Grifo Mini Module PIC Programmer; ISP; MPLAB.	45,09
GMM TST3		Grifo Mini Module TEST 3 for GMM 936, GMM AM08, GMM AM32, etc.	90,18
GPC F2		General Purpose Controller 80C32 11.0592 MHz, OK SRAM	168,65
TI/O 16		TI/O 16 - Test Input/Output, 16 LEDs + 16 KEYS	55,91
K51 AVR		K51 AVR - Experimental board for I2C-BUS; 51 and AVR fam.	233,57
KAD 08		KAD 08 - Alphanumerical Display 8 digits	64,03
KND 08		KND 08 - Numerical Display 8 digits	57,71
KND 44		KND 44 - Numerical Display 4+4 digits	57,71
SPA 01		(Scheda Prototipale Abaco®) Abaco® Support for Prototyping S. Eurc	91,98
SPA 03		(Scheda Prototipale Abaco®) Abaco® Support for Prototyping 3/4 Ty	35,17
SPA 04		(Scheda Prototipale Abaco®) Abaco® Support for Prototyping 3/4 Ty	79,37
FULL KIT - GPC F2		KIT - General Purpose Controller 80C32 11.0592 MHz, 32K SRAM	137,75

FULL KIT - TI/O 16	KIT - TI/O 16 - Test Input/Output, 16 LEDs + 16 KEYs	29,75
FULL KIT - K51 AVR	KIT - K51 AVR - Experimental board for I2C-BUS; 51 and AVR fam.	148,8
FULL KIT - KAD 08	KIT - Alphanumerical Display 8 digits	53,2
FULL KIT - KND 08	KIT - Numerical Display 8 digits	46,91
FULL KIT - KND 44	KIT - Numerical Display 4+4 digits	46,91
KIT for GPC F2	KIT GPC 80C32; Printed Circuit Board; two burned PROMs and the 11.0	21,63
PCB for TI/O 16	Printed Circuit Board - TI/O 16 - Test Input/Output, 16 LEDs + 16 KEY	7,22
PCB for K51 AVR	Printed Circuit Board - K51 AVR - Experimental board for I2C-BUS; 51 ar	12,63
PCB for KAD 08	Printed Circuit Board - KAD 08 - Alphanumerical Display 8 digits	8,12
PCB for KND 08	Printed Circuit Board - KND 08- Numerical Display 8 digits	8,12
PCB for KND 44	Printed Circuit Board - KND 44 - Numerical Display 4+4 digits	8,12

NAME	TYPE	26 MASS MEMORIES	Price EURO
------	------	------------------	------------

MCI 64	Memory Card Interface. Intelligent Peripheral Unit	189,38
SDI 02	Secure Digital Interface 02 - RS232; TTL: I2C BUS; 5Vdc	130,97
SDI 02.RTC	Secure Digital Interface 02 - RS232; TTL: I2C BUS; RTC	144,94
SDI 02.SW	Secure Digital Interface 02 - RS232; TTL: I2C BUS; Switching	156,28
SDI 02.RTC.SW	Secure Digital Interface 02 - RS232; TTL: I2C BUS; Full	161,52
S-LOG	Serial-LOG Secure Digital Interface - RS232; TTL: I2C BUS; 5Vdc	157,15
S-LOG.RTC	Serial-LOG Secure Digital Interface - RS232; TTL: I2C BUS; RTC	171,12
S-LOG.SW	Serial-LOG Secure Digital Interface - RS232; TTL: I2C BUS; Switching	181,6
S-LOG.RTC.SW	Serial-LOG Secure Digital Interface - RS232; TTL: I2C BUS; Full	187,71
SL-GMM 518	Data-Logger with GMM 5115 (GAB H844+GMM 5115+S-LOG+Kit)	453,85
SL-CAN GM Zero	Data-Logger with CAN GM Zero (GAB H844+CAN GM Zero+S-LOG+Kit)	536,98
SL-CAN GM1	Data-Logger with CAN GM1 (GAB H844+CAN GM1+S-LOG+Kit)	519,23
SL-CAN GM2	Data-Logger with CAN GM2 (GAB H844+CAN GM1+S-LOG+Kit)	487,48
SL-GMM AM08	Data-Logger with GMM AM08 (GAB H844+GMM AM08+S-LOG+Kit)	424,88
SL-CAN AVR	Data-Logger with CAN AVR (GAB H844+CAN AVR+S-LOG+Kit)	528,58
SL-GMM 876	Data-Logger with GMM 876 (GAB H844+GMM 876+S-LOG+Kit)	431,4
SL-CANPIC	Data-Logger with CANPIC (GAB H844+CANPIC+S-LOG+Kit)	533,25
SL-GMM ACB Zero	Data-Logger with GMM ACB Zero (GAB H844+GMM ACB Zero+S-LOG+K	512,69
SL-GMM ACB	Data-Logger with GMM ACB (GAB H844+GMM ACB+S-LOG+Kit)	481,92
SL-GMM AM128	Data-Logger with GMM AM128 (GAB H844+GMM AM128+S-LOG+Kit)	519,48
SL-GMM AM644	Data-Logger with GMM AM644 (GAB H844+GMM AM644+S-LOG+Kit)	505,22
SL-GMM AM32	Data-Logger with GMM AM32 (GAB H844+GMM AM32+S-LOG+Kit)	473,45
SL-GMM 4620	Data-Logger with GMM 4620 (GAB H844+GMM 4620+S-LOG+Kit)	488,4
SL Data - ACB	Data-Logger with GMM ACB (GAB H844+GMM ACB+SDI 02+Kit)	532,58
SL Data - ACB Zero	Data-Logger with GMM ACB (GAB H844+GMM ACB Zero+SDI 02+Kit)	550,05
SL Data - F346	Data-Logger with GMM ACB (GAB H844+GMM F346+SDI 02+Kit)	537,82
SL Data - MSC1210	Data-Logger with GMM ACB (GAB H844+GMM MSC1210+SDI 02+Kit)	605,92
SL Data - SOURCE	SL Data-Logger - SOURCE in BASCOM 8051	349,23
SL Data - ACB GSM	Data-Logger with GMM ACB (GAB H844+GMM ACB+SDI 02+GSM+Kit)	715,92
SL Data - ACB Zero GSM	Data-Logger with GMM ACB (GAB H844+GMM ACB Zero+SDI 02+GSM+)	733,38
SL Data - F346 GSM	Data-Logger with GMM ACB (GAB H844+GMM F346+SDI 02+GSM+Kit)	721,17
SL Data - MSC1210 GSM	Data-Logger with GMM ACB (GAB H844+GMM MSC1210+SDI 02+GSM+)	787,52
SL Data GSM - SOURCE	SL Data-Logger GSM - SOURCE in BASCOM 8051	436,54

27 PC Interfaces			Price EURO
NAME	TYPE		
ABC 104		Abaco® Bridge Card for PC 104 modules	225,45
AAB 01		Abaco® Adapter BUS + Flat, Interf. BUS Abaco®, linked PCA 01	124,45
AAB 01.ZF		Abaco® Adapter BUS. Interf.buffer per BUS Abaco®,linked PCA 01	91,98
Option	.50-FLAT	50 cm Flat Cable 50 lines type Tuist-Pair for AAB 01	34,28
Option	.100-FLAT	100 cm Flat Cable 50 lines type Tuist-Pair for AAB 01	40,58
AAB 64		Abaco® Adapter BUS +Flat, Int. 64 bytes 256 page,linked PCA 01	135,28
AAB 64.ZF		Abaco® Adapter BUS. Int. 64 bytes 256 page, linked PCA 01	101,91
Option	.50-FLAT	50 cm Flat Cable 50 lines type Tuist-Pair for AAB 64	34,28
Option	.100-FLAT	100 cm Flat Cable 50 lines type Tuist-Pair for AAB 64	40,58
PCA 01		PC -> Abaco® BUS Adapter linked to AAB 01 and AAB 64	141,58
PCC A26		PC-Centronics -> Abaco® I/O BUS Adapter (ABB 05, ZBR 324, etc.)	75,75
CCR .PCC		Communication Cable D 25 M + Connector for PCC A26	20,74